



CERTIFICATE OF COMPLIANCE

Certificate N°:	2602 TECNALIA RESEARCH AND INNOVATION	Issue date:	July 26th, 2021
	Parque Científico y Tecnológico de Bizkaia C/Astondo, Edificio 700	Issued to:	Aclara Meters S.L.
	48160-Derio Spain		Polígono Ind. Ugaldeguren III, Parcela 27
			48170-Zamudio Spain

The certified product listed below is eligible to bear the DLMS UA Mark shown



PRODUCT

Model: SGM143X-B
Type: SGM1430-B (Global)
Firmware ID: Id=0000040F ,Id=020200 ,Id=010005

Mgmt LDN (SAP = 1): SAP = 16 is "41434C31343332" (ACL1432)
Manufacturer: Aclara
Media Identifiers: Abstract, Electricity

CONFORMANCE SPECIFICATION

COSEM IF Classes and OBIS Codes: Blue Book Ed. 14
DLMS/COSEM Protocol: Green Book Ed. 10

TEST TOOL & SPEC.

Test Specification: Yellow Book Ed. 8
Test Tool Version: Standard 3.1
Test Tool Licensee: TECNALIA RESEARCH AND INNOVATION
COSEM Object definition file: Object_defs_v3.6_Released_20200825.dat
Communication profiles: HDLC, DIRECT_HDLC

This Certificate of Compliance is based on an evaluation of a test report based on a single test executed on one specimen of the product, as identified by the Product data above. This Certificate is issued on the condition that the holder complies and will continue to comply with the requirement and procedures issued by DLMS UA.. The authenticity of the test report has been verified by the DLMS User Association and the equipment identified above is listed on its web site at: www.dlms.com.



CERTIFICATE OF COMPLIANCE

Test Report N°: 2602

Test File: FINAL ACLARA tested with CTT 3.1 standard edition, 64 bits, release 108, update 3

* Identification *

Identification = {
Manufacturer = "\Aclara"
FLAGid = "\ACL"
Applicant = "\ACL"
Type = "\ACL1432"
SerialNr = "\FFFFFFFFFFFFFFFFFFFFFFFF"
Comment = "\SmartMeter"
IUTisModule = TRUE
}

* Summary *

Table with 7 columns: TYPE, TOTAL, SKIPPED, INAPPLICABLE, INCONCLUSIVE, PASSED, FAILED. Rows include HDLC, APPL, SecMsg, COSEM, SymKey, DP, GBT, PubCert, SecPol.

Communication profile: HDLC
Application context names: LONG_NAMES
Authentication mechanisms: NO_SECURITY, LOW_LEVEL_SECURITY
ACSE and xDLMS features: GET, MULTIPLE_REFERENCES, SERVICE_SPECIFIC_BLOCK_TRANSFER, SET
Security features: (not collected)
Data protection features: (not collected)
Logical device(s) found: SAP = 16 is "41434C31343332" (ACL1432)
Active firmware(s): Id=0000040F ,Id=020200 ,Id=010005
COSEM classes tested: 1,3,4,5,6,7(1),8,9,10,11,15(1),18,20,22,43,70,71,111,112,113
COSEM classes found but not tested: (none)